



Food Lovers Market - Cape Town



- Ceiling pendant fluorescent luminaire
- Designed for the new generation T5 lamp with aesthetic and technical characteristics which make it suitable for use in a wide range of applications including offices, banks and retail shops
- Body is made in extruded aluminium with an opaline polycarbonate diffuser
- Includes plastic painted end caps and a 1.5 metre suspension kit
- Dark louvre's and longitudinal low luminance diffusers are available on request
- The Uni is available in different modules for single, double or multiple lighting emission, both indirect and direct or only direct or indirect lighting
- An Uni version for wall mounted applications is also available with a mounting kit included
- Can be installed on normally flammable surfaces
- Electronic control gear
- Dimmable versions available on request
- Class 1
- IP 20






05
Natural
Anodised



code lamp details

Uni 1 light direct




3815 1500mm 35W 230V G5
3822 1200mm 54W 230V G5



code lamp details

Uni 2 light direct/indirect




3813 1500mm 2 x 35W 230V G5
3820 1200mm 2 x 54W 230V G5



code lamp details

Uni 2 light direct




3812 1500mm 2 x 35W 230V G5
3819 1200mm 2 x 54W 230V G5



code lamp details

Uni 1 light direct

3814 1500mm 35W 230V G5
3821 1200mm 54W 230V G5









05
Natural
Anodised



code lamp details

Uni 2 light direct/indirect





3811 1500mm 2 x 35W 230V G5
3818 1200mm 2 x 54W 230V G5



code lamp details

Uni 1 light for wall applications


3816 1500mm 35W 230V G5
3823 1200mm 54W 230V G5



Accessories



code details
Dark light louvre
CI/UNI.DARK54.00
CI/UNI.DARK35.00



code details
Linear joint
CI/UNI.CD

